Age at Diagnosis \* Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	13-19	Count		1	1
Diagnosis		% within Sex		11.1%	2.2%
	20-24	Count	5	3	8
		% within Sex	13.9%	33.3%	17.8%
	25-29	Count	6	2	8
		% within Sex	16.7%	22.2%	17.8%
	30-39	Count	11	2	13
		% within Sex	30.6%	22.2%	28.9%
	40-49	Count	9	1	10
		% within Sex	25.0%	11.1%	22.2%
	50-59	Count	5		5
		% within Sex	13.9%		11.1%
Total		Count	36	9	45
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

## Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	22	4	26
		% within Sex	61.1%	44.4%	57.8%
	African American	Count	4	4	8
		% within Sex	11.1%	44.4%	17.8%
	Hispanic	Count	10	1	11
		% within Sex	27.8%	11.1%	24.4%
Total		Count	36	9	45
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

# HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	12		12
Exposure		% within Sex	33.3%		26.7%
	IDU	Count	4	3	7
		% within Sex	11.1%	33.3%	15.6%
	M-M & IDU	Count	4		4
		% within Sex	11.1%		8.9%
	Heterosexual Contact	Count	3	4	7
		% within Sex	8.3%	44.4%	15.6%
	Transfusion	Count	2		2
		% within Sex	5.6%		4.4%
	Not Classified	Count	11	2	13
		% within Sex	30.6%	22.2%	28.9%
Total		Count	36	9	45
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	26	26
		% within Adult-Ped	57.8%	57.8%
	African American	Count	8	8
		% within Adult-Ped	17.8%	17.8%
	Hispanic	Count	11	11
		% within Adult-Ped	24.4%	24.4%
Total		Count	45	45
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	36	36
		% within Adult-Ped	80.0%	80.0%
	Female	Count	9	9
		% within Adult-Ped	20.0%	20.0%
Total		Count	45	45
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis \* Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	13-19	Count		2	2
Diagnosis		% within Sex		18.2%	4.3%
	20-24	Count	5	2	7
		% within Sex	13.9%	18.2%	14.9%
	25-29	Count	6	1	7
		% within Sex	16.7%	9.1%	14.9%
	30-39	Count	12	3	15
		% within Sex	33.3%	27.3%	31.9%
	40-49	Count	11	2	13
		% within Sex	30.6%	18.2%	27.7%
	50-59	Count	2	1	3
		% within Sex	5.6%	9.1%	6.4%
Total		Count	36	11	47
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Se		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	22	7	29
		% within Sex	61.1%	63.6%	61.7%
	African American	Count	5	3	8
		% within Sex	13.9%	27.3%	17.0%
	Hispanic	Count	9	1	10
		% within Sex	25.0%	9.1%	21.3%
Total		Count	36	11	47
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

## HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	18		18
Exposure		% within Sex	50.0%		38.3%
	IDU	Count	6	3	9
		% within Sex	16.7%	27.3%	19.1%
	M-M & IDU	Count	4		4
		% within Sex	11.1%		8.5%
	Heterosexual Contact	Count		5	5
		% within Sex		45.5%	10.6%
	Not Classified	Count	8	3	11
		% within Sex	22.2%	27.3%	23.4%
Total		Count	36	11	47
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult-Ped	
			Adult/Adol	T-1-1
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	29	29
		% within Adult-Ped	61.7%	61.7%
	African American	Count	8	8
		% within Adult-Ped	17.0%	17.0%
	Hispanic	Count	10	10
		% within Adult-Ped	21.3%	21.3%
Total		Count	47	47
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	36	36
		% within Adult-Ped	76.6%	76.6%
	Female	Count	11	11
		% within Adult-Ped	23.4%	23.4%
Total		Count	47	47
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	1		1
Diagnosis		% within Sex	.9%		.7%
	13-19	Count		4	4
		% within Sex		11.8%	2.8%
	20-24	Count	14	7	21
		% within Sex	13.1%	20.6%	14.9%
	25-29	Count	16	10	26
		% within Sex	15.0%	29.4%	18.4%
	30-39	Count	40	8	48
		% within Sex	37.4%	23.5%	34.0%
	40-49	Count	27	4	31
		% within Sex	25.2%	11.8%	22.0%
	50-59	Count	8	1	9
		% within Sex	7.5%	2.9%	6.4%
	60-69	Count	1		1
		% within Sex	.9%		.7%
Total		Count	107	34	141
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			•		
			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	67	17	84
		% within Sex	62.6%	50.0%	59.6%
	African American	Count	17	12	29
		% within Sex	15.9%	35.3%	20.6%
	Hispanic	Count	23	5	28
		% within Sex	21.5%	14.7%	19.9%
Total		Count	107	34	141
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

## Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	47		47
Exposure		% within Sex	43.9%		33.3%
	IDU	Count	11	11	22
		% within Sex	10.3%	32.4%	15.6%
	M-M & IDU	Count	11		11
		% within Sex	10.3%		7.8%
	Heterosexual Contact	Count	5	15	20
		% within Sex	4.7%	44.1%	14.2%
	Transfusion	Count	2		2
		% within Sex	1.9%		1.4%
	Not Classified	Count	30	8	38
		% within Sex	28.0%	23.5%	27.0%
	Ped Hemophiliac	Count	1		1
		% within Sex	.9%		.7%
Total		Count	107	34	141
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count		84	84
		% within Adult-Ped		60.0%	59.6%
	African American	Count	1	28	29
		% within Adult-Ped	100.0%	20.0%	20.6%
	Hispanic	Count		28	28
		% within Adult-Ped		20.0%	19.9%
Total		Count	1	140	141
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	1	106	107
		% within Adult-Ped	100.0%	75.7%	75.9%
	Female	Count		34	34
		% within Adult-Ped		24.3%	24.1%
Total		Count	1	140	141
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	1		1
Diagnosis		% within Sex	1.0%		.7%
	13-19	Count		4	4
		% within Sex		12.1%	3.0%
	20-24	Count	14	7	21
		% within Sex	13.7%	21.2%	15.6%
	25-29	Count	15	9	24
		% within Sex	14.7%	27.3%	17.8%
	30-39	Count	39	8	47
		% within Sex	38.2%	24.2%	34.8%
	40-49	Count	25	4	29
		% within Sex	24.5%	12.1%	21.5%
	50-59	Count	7	1	8
		% within Sex	6.9%	3.0%	5.9%
	60-69	Count	1		1
		% within Sex	1.0%		.7%
Total		Count	102	33	135
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Current	20-24	Count	6	9	15
Age		% within Sex	5.9%	27.3%	11.1%
	25-29	Count	8	2	10
		% within Sex	7.8%	6.1%	7.4%
	30-39	Count	41	14	55
		% within Sex	40.2%	42.4%	40.7%
	40-49	Count	36	7	43
		% within Sex	35.3%	21.2%	31.9%
	50-59	Count	9	1	10
		% within Sex	8.8%	3.0%	7.4%
	60-69	Count	2		2
		% within Sex	2.0%		1.5%
Total		Count	102	33	135
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

# Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

## Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	Sex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	65	17	82
		% within Sex	63.7%	51.5%	60.7%
	African American	Count	15	12	27
		% within Sex	14.7%	36.4%	20.0%
	Hispanic	Count	22	4	26
		% within Sex	21.6%	12.1%	19.3%
Total		Count	102	33	135
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

## Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	46		46
Exposure		% within Sex	45.1%		34.1%
	IDU	Count	11	11	22
		% within Sex	10.8%	33.3%	16.3%
	M-M & IDU	Count	10		10
		% within Sex	9.8%		7.4%
	Heterosexual Contact	Count	4	15	19
		% within Sex	3.9%	45.5%	14.1%
	Transfusion	Count	2		2
		% within Sex	2.0%		1.5%
	Not Classified	Count	28	7	35
		% within Sex	27.5%	21.2%	25.9%
	Ped Hemophiliac	Count	1		1
		% within Sex	1.0%		.7%
Total		Count	102	33	135
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

# Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count		82	82
		% within Adult-Ped		61.2%	60.7%
	African American	Count	1	26	27
		% within Adult-Ped	100.0%	19.4%	20.0%
	Hispanic	Count		26	26
		% within Adult-Ped		19.4%	19.3%
Total		Count	1	134	135
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	:-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	1	101	102
		% within Adult-Ped	100.0%	75.4%	75.6%
	Female	Count		33	33
		% within Adult-Ped		24.6%	24.4%
Total		Count	1	134	135
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	∋x	
			Male	Female	Total
Age at	20-24	Count		1	1
Diagnosis		% within Sex		16.7%	2.1%
	25-29	Count	3		3
		% within Sex	7.3%		6.4%
	30-39	Count	14	4	18
		% within Sex	34.1%	66.7%	38.3%
	40-49	Count	16	1	17
		% within Sex	39.0%	16.7%	36.2%
	50-59	Count	3		3
		% within Sex	7.3%		6.4%
	60-69	Count	4		4
		% within Sex	9.8%		8.5%
	70+	Count	1		1
		% within Sex	2.4%		2.1%
Total		Count	41	6	47
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	21	5	26
		% within Sex	51.2%	83.3%	55.3%
	African American	Count	10		10
		% within Sex	24.4%		21.3%
	Hispanic	Count	9	1	10
		% within Sex	22.0%	16.7%	21.3%
	Asian-Pacific Islander	Count	1		1
		% within Sex	2.4%		2.1%
Total		Count	41	6	47
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

## AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	15		15
Exposure		% within Sex	36.6%		31.9%
	IDU	Count	10	2	12
		% within Sex	24.4%	33.3%	25.5%
	M-M & IDU	Count	4		4
		% within Sex	9.8%		8.5%
	Heterosexual Contact	Count	5	3	8
		% within Sex	12.2%	50.0%	17.0%
	Not Classified	Count	7	1	8
		% within Sex	17.1%	16.7%	17.0%
Total		Count	41	6	47
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

### Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	26	26
		% within Adult-Ped	55.3%	55.3%
	African American	Count	10	10
		% within Adult-Ped	21.3%	21.3%
	Hispanic	Count	10	10
		% within Adult-Ped	21.3%	21.3%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	2.1%	2.1%
Total		Count	47	47
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

#### Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	41	41
		% within Adult-Ped	87.2%	87.2%
	Female	Count	6	6
		% within Adult-Ped	12.8%	12.8%
Total		Count	47	47
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis \* Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	2	1	3
Diagnosis		% within Sex	6.7%	25.0%	8.8%
	25-29	Count		1	1
		% within Sex		25.0%	2.9%
	30-39	Count	16	2	18
		% within Sex	53.3%	50.0%	52.9%
	40-49	Count	8		8
		% within Sex	26.7%		23.5%
	50-59	Count	3		3
		% within Sex	10.0%		8.8%
	60-69	Count	1		1
		% within Sex	3.3%		2.9%
Total		Count	30	4	34
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	19	3	22
		% within Sex	63.3%	75.0%	64.7%
	African American	Count	6		6
		% within Sex	20.0%		17.6%
	Hispanic	Count	5	1	6
		% within Sex	16.7%	25.0%	17.6%
Total		Count	30	4	34
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

## AIDS Cases Reported during 2001 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	10		10
Exposure		% within Sex	33.3%		29.4%
	IDU	Count	1	3	4
		% within Sex	3.3%	75.0%	11.8%
	M-M & IDU	Count	5		5
		% within Sex	16.7%		14.7%
	Heterosexual Contact	Count	3		3
		% within Sex	10.0%		8.8%
	Not Classified	Count	11	1	12
		% within Sex	36.7%	25.0%	35.3%
Total		Count	30	4	34
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult-Ped	
			Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count	22	22
		% within Adult-Ped	64.7%	64.7%
	African American	Count	6	6
		% within Adult-Ped	17.6%	17.6%
	Hispanic	Count	6	6
		% within Adult-Ped	17.6%	17.6%
Total		Count	34	34
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	30	30
		% within Adult-Ped	88.2%	88.2%
	Female	Count	4	4
		% within Adult-Ped	11.8%	11.8%
Total		Count	34	34
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Age at	1 (12-23 mo)	Count	1		1
Diagnosis		% within Sex	.2%		.2%
	5-12	Count	1		1
		% within Sex	.2%		.2%
	13-19	Count	2		2
		% within Sex	.5%		.4%
	20-24	Count	15	7	22
		% within Sex	3.4%	15.9%	4.5%
	25-29	Count	78	8	86
		% within Sex	17.6%	18.2%	17.7%
	30-39	Count	194	14	208
		% within Sex	43.8%	31.8%	42.7%
	40-49	Count	108	12	120
		% within Sex	24.4%	27.3%	24.6%
	50-59	Count	29	2	31
		% within Sex	6.5%	4.5%	6.4%
	60-69	Count	12	1	13
		% within Sex	2.7%	2.3%	2.7%
	70+	Count	3		3
		% within Sex	.7%		.6%
Total		Count	443	44	487
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	308	25	333
		% within Sex	69.5%	56.8%	68.4%
	African American	Count	59	9	68
		% within Sex	13.3%	20.5%	14.0%
	Hispanic	Count	73	10	83
		% within Sex	16.5%	22.7%	17.0%
	Asian-Pacific Islander	Count	3		3
		% within Sex	.7%		.6%
Total		Count	443	44	487
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

# Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

## Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	×	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	217		217
Exposure		% within Sex	49.0%		44.6%
	IDU	Count	62	16	78
		% within Sex	14.0%	36.4%	16.0%
	M-M & IDU	Count	85		85
		% within Sex	19.2%		17.5%
	Hemophiliac	Count	3	1	4
		% within Sex	.7%	2.3%	.8%
	Heterosexual Contact	Count	19	17	36
		% within Sex	4.3%	38.6%	7.4%
	Transfusion	Count	3	1	4
		% within Sex	.7%	2.3%	.8%
	Not Classified	Count	52	9	61
		% within Sex	11.7%	20.5%	12.5%
	Ped Hemophiliac	Count	1		1
		% within Sex	.2%		.2%
	Ped Parent at Risk	Count	1		1
		% within Sex	.2%		.2%
Total		Count	443	44	487
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	332	333
		% within Adult-Ped	50.0%	68.5%	68.4%
	African American	Count	1	67	68
		% within Adult-Ped	50.0%	13.8%	14.0%
	Hispanic	Count		83	83
		% within Adult-Ped		17.1%	17.0%
	Asian-Pacific Islander	Count		3	3
		% within Adult-Ped		.6%	.6%
Total		Count	2	485	487
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Amarillo

# Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	2	441	443
		% within Adult-Ped	100.0%	90.9%	91.0%
	Female	Count		44	44
		% within Adult-Ped		9.1%	9.0%
Total		Count	2	485	487
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	1		1
Diagnosis		% within Sex	.5%		.5%
	20-24	Count	4	4	8
		% within Sex	2.0%	25.0%	3.8%
	25-29	Count	26	2	28
		% within Sex	13.3%	12.5%	13.2%
	30-39	Count	84	6	90
		% within Sex	42.9%	37.5%	42.5%
	40-49	Count	56	4	60
		% within Sex	28.6%	25.0%	28.3%
	50-59	Count	18		18
		% within Sex	9.2%		8.5%
	60-69	Count	6		6
		% within Sex	3.1%		2.8%
	70+	Count	1		1
		% within Sex	.5%		.5%
Total		Count	196	16	212
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	σX	
			Male	Female	Total
Current	20-24	Count	2		2
Age		% within Sex	1.0%		.9%
	25-29	Count	3	3	6
		% within Sex	1.5%	18.8%	2.8%
	30-39	Count	71	6	77
		% within Sex	36.2%	37.5%	36.3%
	40-49	Count	75	6	81
		% within Sex	38.3%	37.5%	38.2%
	50-59	Count	35	1	36
		% within Sex	17.9%	6.3%	17.0%
	60-69	Count	9		9
		% within Sex	4.6%		4.2%
	70+	Count	1		1
		% within Sex	.5%		.5%
Total		Count	196	16	212
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

# Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

## Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	124	11	135
		% within Sex	63.3%	68.8%	63.7%
	African American	Count	32	1	33
		% within Sex	16.3%	6.3%	15.6%
	Hispanic	Count	38	4	42
		% within Sex	19.4%	25.0%	19.8%
	Asian-Pacific Islander	Count	2		2
		% within Sex	1.0%		.9%
Total		Count	196	16	212
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	84		84
Exposure		% within Sex	42.9%		39.6%
	IDU	Count	33	6	39
		% within Sex	16.8%	37.5%	18.4%
	M-M & IDU	Count	34		34
		% within Sex	17.3%		16.0%
	Heterosexual Contact	Count	13	7	20
		% within Sex	6.6%	43.8%	9.4%
	Transfusion	Count	1		1
		% within Sex	.5%		.5%
	Not Classified	Count	31	3	34
		% within Sex	15.8%	18.8%	16.0%
Total		Count	196	16	212
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

# Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	135	135
		% within Adult-Ped	63.7%	63.7%
	African American	Count	33	33
		% within Adult-Ped	15.6%	15.6%
	Hispanic	Count	42	42
		% within Adult-Ped	19.8%	19.8%
	Asian-Pacific Islander	Count	2	2
		% within Adult-Ped	.9%	.9%
Total		Count	212	212
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	196	196
		% within Adult-Ped	92.5%	92.5%
	Female	Count	16	16
		% within Adult-Ped	7.5%	7.5%
Total		Count	212	212
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Amarillo

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	1		1
Diagnosis		% within Sex	.3%		.3%
	13-19	Count	1	4	5
		% within Sex	.3%	8.2%	1.4%
	20-24	Count	18	11	29
		% within Sex	6.0%	22.4%	8.4%
	25-29	Count	41	11	52
		% within Sex	13.8%	22.4%	15.0%
	30-39	Count	123	14	137
		% within Sex	41.3%	28.6%	39.5%
	40-49	Count	81	8	89
		% within Sex	27.2%	16.3%	25.6%
	50-59	Count	25	1	26
		% within Sex	8.4%	2.0%	7.5%
	60-69	Count	7		7
		% within Sex	2.3%		2.0%
	70+	Count	1		1
		% within Sex	.3%		.3%
Total		Count	298	49	347
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

# Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

## Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ЭX	
			Male	Female	Total
Current	20-24	Count	8	9	17
Age		% within Sex	2.7%	18.4%	4.9%
	25-29	Count	11	5	16
		% within Sex	3.7%	10.2%	4.6%
	30-39	Count	112	20	132
		% within Sex	37.6%	40.8%	38.0%
	40-49	Count	111	13	124
		% within Sex	37.2%	26.5%	35.7%
	50-59	Count	44	2	46
		% within Sex	14.8%	4.1%	13.3%
	60-69	Count	11		11
		% within Sex	3.7%		3.2%
	70+	Count	1		1
		% within Sex	.3%		.3%
Total		Count	298	49	347
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	189	28	217
		% within Sex	63.4%	57.1%	62.5%
	African American	Count	47	13	60
		% within Sex	15.8%	26.5%	17.3%
	Hispanic	Count	60	8	68
		% within Sex	20.1%	16.3%	19.6%
	Asian-Pacific Islander	Count	2		2
		% within Sex	.7%		.6%
Total		Count	298	49	347
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

# Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

## Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	130		130
Exposure		% within Sex	43.6%		37.5%
	IDU	Count	44	17	61
		% within Sex	14.8%	34.7%	17.6%
	M-M & IDU	Count	44		44
		% within Sex	14.8%		12.7%
	Heterosexual Contact	Count	17	22	39
		% within Sex	5.7%	44.9%	11.2%
	Transfusion	Count	3		3
		% within Sex	1.0%		.9%
	Not Classified	Count	59	10	69
		% within Sex	19.8%	20.4%	19.9%
	Ped Hemophiliac	Count	1		1
		% within Sex	.3%		.3%
Total		Count	298	49	347
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Amarillo

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count		217	217
		% within Adult-Ped		62.7%	62.5%
	African American	Count	1	59	60
		% within Adult-Ped	100.0%	17.1%	17.3%
	Hispanic	Count		68	68
		% within Adult-Ped		19.7%	19.6%
	Asian-Pacific Islander	Count		2	2
		% within Adult-Ped		.6%	.6%
Total		Count	1	346	347
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Amarillo

# Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

### Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	1	297	298
		% within Adult-Ped	100.0%	85.8%	85.9%
	Female	Count		49	49
		% within Adult-Ped		14.2%	14.1%
Total		Count	1	346	347
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Amarillo